Notice of Allowability	Application No.	Applicant(s)
	10/825,937	KIENZLE ET AL.
	Examiner	Art Unit
	Isaac N. Hamilton	3724
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>04/16/04</u> .		
2. The allowed claim(s) is/are <u>1-11</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. 		
 THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 		
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0. Paper No./Mail Date 04/16/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Date Pa	e

Art Unit: 3724

, 'λ

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The claims describe a cutting apparatus that has gripper beams wherein one gripper beam grips a web and pulls the web along the frame of the apparatus, then transversely cuts the web with a cutting unit. While one gripper beam is pulling the web to be cut, the other cutter beam is on its return stroke to move the gripper adjacent to the cutter in order to grip the web after it is cut. The gripper beams can travel over one another by telescopically extending a piece of the gripper beam to engage a tower, which elevates the gripper beam above the return stroke gripper beam. After the web is cut, the gripper beam is lowered into a slide, and the extended piece of the gripper beam is retracted out of the tower for its return stroke.

Asselborn et al (3,819,073) teach an apparatus that has grippers that travel along the length of a frame in order to feed a workpiece by shuttling the grippers between an endpoint of the frame and the midpoint of the frame, but do not teach gripper beams that can travel over one another, and do not teach a telescopically extended extension piece that engages and disengages an elevating tower. Schoenbeck et al (6,092,709) teach an apparatus that has grippers that travel along the length of a frame in order to feed a workpiece by alternating gripping and non-gripping grippers during feed and return stroke phases while the grippers pass by one another, but do not teach gripper beams that can travel over one another and do not teach a telescopically extendable extension piece that engages and disengages an elevating tower. It would not have been obvious to combine the references with other prior art teachings in order to meet the claim limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Isaac Hamilton whose telephone number is 571-272-4509. The examiner can normally be reached on Monday through Friday between 8am and 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Boyer D. Ashley can be reached on 571-272-4502. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

IH

June 20, 2006

KENNETH E. PETERSON PRIMARY EXAMINER